

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIGURE 1

HCCQ Blocks IL-5 Induced Eosinophil Degranulation




FIGURE 2




FIGURE 3

Early Apoptosis of IL-5 Stimulated Eosinophils at 4 Hours




FIGURE 4

HCC Blocks Release of RV-Induced Pro-inflammatory Chemokines




FIGURE 5

HCQ Blocks Release of RV-Induced Chemokine (RANTES) Generation




FIGURE 6

HCQ Blocks RV-mediated ICAM-1 Upregulation




FIGURE 7

HCCQ Blocks Release of RV-Induced Proinflammatory Cytokine Generation




FIGURE 8

HCQ Blocks Release of RV-Induced Proinflammatory Cytokine Generation




FIGURE 9

HCQ Blocks Proinflammatory Cytokine Generation




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13